State of Wisconsin Department of Natural Resources Private Water Systems Section - DG/2 dnr.wi.gov

High Capacity, School or Wastewater Treatment Plant (a)
Well Approval Application
Form 3300-256 (B 7/5)

Form 3300-256 (R 7/05)

Notice: Prior department approval is required for the construction, reconstruction or operation of a high capacity walker system of high capacity wells, a school well or a wastewater treatment plant well in accordance with Section NR 812.09(4)(a), Wisconsin Administrative Code. Personally identifiable information collected on this form including such data as your pages address and shoot such data as well as a such data as your pages address and shoot such data as well as a such data as your pages. information collected on this form, including such data as your name, address and phone number, will be used for management of department programs and is unlikely to be used for other purposes. This information will be addressable under Wisconsin's Open Records Laws, ss. 19.32 - 19.39, Wis. Stats.

Use this form to request an approval for installation of a well or wells on a high capacity property, seek approval to make other changes to a high capacity property or to modify a well on a high capacity property, as required by NR 812.09(4)(a), Wisconsin Administrative Code. Refer to definitions of high capacity well, high capacity property and high capacity well system on page 5.

This form is not intended to be used when seeking approval for construction or modification of wells serving water systems regulated under ch. NR 811, Wis. Adm. Code. Any water system serving 7 or more homes, 10 or more mobile homes, 10 or more apartments, 10 or more condominiums, or 10 or

more duplexes is regulated under ch. NR 81	1, Wis. Adm. Code. See NR 81	11.01, Wis. Ad	im. Code for	applicability requi	rements.	
Applicant Information	A CONTRACTOR OF THE CONTRACTOR					e proposition of the second of
Application Prepared By (Name and Title)		Company	. /			/
BARRY GRAL	Am	Kol	SERTS	LERI	gAl	101
Street Address	Λ.	City			State	ZIP Code
2022 22hd	HUE.	Blo	DOMLEK	_	W	54724
Telephone Number	Fax Number	1	E-Mail Addı	ess .	1	1
715-568-4600	715-568-46	01	bde	9610	hot	mail-com
Property Ownership Information	o de propieta de la compaña de la compaña An esta de la compaña de l				6 14 13 14 14 14 14 14 14 14 14 14 14 14 14 14	e santon se esta esta esta esta e
Property owner, if different than applicant (	Name of Person and Title)	Company	1	_		
Kichard Bus	ch	150	isch	FARM:		
Street Address		City		0	State	ZIP Code
3806 FAIRULE	J HUE.	Dow.	NERS	JROUE "	LL	60515
Telephone Number	Fax Number		E-Mail Addr	ess		
708-204-8430	0.00 % 0.00					
Well Operator Information	all and social series pro-	· 表现存储	engales in a	Vel. 14.5.65	San Ha	en e
Well operator if different than owner (Name		Company		8.		
SAME				8		
Street Address		City			State	ZIP Code
Telephone Number	Fax Number	J	E-Mail Addr	ess		
Property Information	grander de la companya de la company Companya de la companya de la compa	rat scriptoresso or admiral and the		nder Styrostyrkiya Geletar ay 1984		tarik (a. j.
Enter the High Canacity Well File Number he	low if the property is already a	high capacity	property. If t	he property is not	designa	ted as a high capacity
property at the time of application, enter "NOI or use the compact disk of departmental well	data that is issued to drillers ar	nd numo insta	llers. On the	compact disk, see	e "File lo	cation in red print in
"Location" section. File number format is as f	ollows: (1 or 2 digits for county)	- (1 digit for v	vell classifica	tion) - (1 to 4 digit	is for ass	signed property no.).
County	Town / /	1.		High Capacity Wo	ell File N	0.
Sprron	Lheter					TO THE OWN WITH A REAL
Submittal Purpose	entro liggio de sultima e la fini de La completa e militar de la fini del	envergenspreaderen. Gran interven				
Check all that apply:						
Install one or more new wells with a	G 121 251 185					
Install one or more new wells with a	capacity less than 70 gallor	ns per minut	e on a high	capacity proper	rty.	
Replace one or more wells with a ca	apacity greater than 70 gallo	ns per minu	ite.			
Replace one or more wells with a ca	apacity less than 70 gallons	per minute o	on a high ca	apacity property	•	
Reconstruct one or more wells with	a capacity greater than 70 g	gallons per n	ninute.			
Reconstruct one or more wells with	a capacity less than 70 gallo	ons per minu	ute on a hig	h capacity prop	erty.	
Increase pumping rate in one or mo	re wells to a rate greater tha	an previously	y approved.			
Request continued operation of high					equired.	)
Renew a previous approval that has						
Well (or wells) will serve a school or	1053	. See defini	itions on pa	ge 5.		
Other, explain						

Site	Stat	us Information											
and	the in	e the site status using the internet or the compact disk of departmental well data that is issued to drillers and pump installers information supplied by the property owner. Internet address is <a href="mailto:dnr.wi.gov/org/water/dwg/dws.htm">dnr.wi.gov/org/water/dwg/dws.htm</a> . Enter YES or NO for each owing questions.											
YES	NC Q	s the property is not											
	Ø	Has there been a change in well ownership since the last approval was written?											
		If YES, name of current owner: Date of purchase:											
	\_A												
	\Д	Has there been a change in well operator since the last approval was written?  If YES, name of current operator:  Date of change:											
	Ø	Will a proposed well be connected to a plumbing system that is supplied by other sources (other wells, municipal supply, etc.)? If YES, include a schematic drawing showing backflow protection.											
		' Is a proposed well within 1,200 feet of a landfill? Determine if there are any landfills nearby, using the well information compact disk FIND feature. Enter the township, range and section of the well location. If the well is near a section line,											
	<b>√</b>	also check the adjacent section or sections.											
		If YES, list the landfill site ID Number:  OR  Landfill location: (Township/Range/Section)											
П	Ы	Is a proposed well on a property that has a contaminated site? If YES, list the BRRTS (Bureau for Remediation and											
ഥ	الكي	Redevelopment Tracking System) Number here and specify if the site is open or closed:											
	1												
	Æ	Is a proposed well on a property that has a groundwater use restriction recorded on the deed? If YES, list the BRRTS number, as assigned to the contaminated site by the DNR remediation and redevelopment program:											
	A	Is a proposed well on a property that is listed on the department's registry of closed remediation sites for a groundwater use restriction? See compact disk or internet at <a href="maps.dnr.state.wi.us/imf/dnrimf.jsp?site=brrts">maps.dnr.state.wi.us/imf/dnrimf.jsp?site=brrts</a> . If YES, list the BRRTS Number here:											
	Ø	Is a proposed well to be used for a public water supply system that serves 25 or more people? See definition of a "public water system" in the definitions section on page 5.											
	M	Is a proposed well to be installed within a special casing area? Refer to the list of special casing areas that is published by the department and/or contact the regional DNR office.											
	A	Has the number of wells or pumping capacity in an existing well increased since the most recent high capacity well approval was issued?											
	囡	Has the number of wells decreased since the most recent high capacity well approval? If the property is not yet a high capacity property, check NO.											
	区	Is a non-pressurized storage vessel (i.e. reservoir) other than a pond proposed or in use?											
	Ø	Will the well discharge directly to a storage pond?											
	ŻΩ	Is a pressurized tank with a capacity greater than 1,000 gallons proposed or in use?											
	卤	Is a proposed well within 1,200 feet of a quarry?											
	Ø	Is a proposed well located in a floodplain or floodway?											
	X	Are any existing well installations on the high capacity property out of compliance with Chapter NR 812, Wisconsin Administrative Code?											
	囟	Will the well be used as a source of bottled water?											
	瓦	Are you seeking a variance to construct a well that has a capacity of less than 70 gallons per minute to low capacity well construction standards?											
	Ø	Is the property served by a community water system?											

Existing Well Information				<u> </u>		
Enter the following information or	all existing wells on the	property, if more than	four wells, sub	mit additional	sheets:	
Well Name Assigned by Well Owner (North Well, etc.):	m Field	NFIELD				
Well Number Assigned by Owner (001, 002, etc.):	010	011				
WI Unique Well Number or NA if no number.	XE048	XE028				
Permanent DNR High Capacity Well Number or N/A if none:	72910	72911				
Public Water System ID Number, if Public (if not public, NONE):	NONE	NONE				
Potable or Non-Potable Usa:	Now Potable	NON POTAB	٤			
Type of Well (Irrigation, Industrial, Residential, etc.):	IRRIGATION	IRRIGATION	U			
Requested Average Water Usage per Day in Gallons:	180,000	576,000	2			
Requested Maximum Water Usage per Day in Gallons:	360,000	1,152,00	0			
Seasonal? (April to October, Year Around, etc.):	April to ad.	April to D	4.			
Approved Pumping Capacity if Previously Approved (gpm):						
Current Pump Type & Capacity (gpm)						
Proposed Pump Type & Capacity If Change Requested (gpm):						
Pump Discharge Type (Over Top of Casing Seal, Pitless, etc.):	Dure Top	DUER TOD		Washing Total		
Discharge Location (Building Pressure Tank, Pond, etc.):	IRR. Pipz	IRR. PIDE	,			
Height of Well Casing Above Ground in Inches:	16"	16"				
Potential Contaminant Sources and Distance:						
Well Loc: Quarter Quarter Section	NE 1/4 of NW 1/4	5W 1/4 of 5W	1/4 1/4	of 1/4	1/4 c	of 1/4
or Government Lot Number						
Section or French Long Lot No.	18	7				
Township:	T 33 N	т <i>3</i> 3	N T_	N	Т	N
Range (Select E or W):	R 10 □EØW	R 10 □E	]w R	□ε □w	R	□E □W
Latitude (Degrees and Minutes)	45 .20.832		0 0		0	
Longitude (Degrees and Minutes)	91.39.397.	91.39.55	4. 0	. '	0	
GPS Map Datum (WGS84, WTM91, etc.)						
Include as much of the following inform well construction record is attached, ap	nation as practical for wells the	nat do not have well cons ing rows blank.	truction records a	ittached to the	application, hov	vever if the
Date of Construction:	03/21/2014	09/04/2014	<b>Z</b>			
Drilled by (Name of Drilling Firm):	Palsento Hun.	PODERTS TOR	, _			
Drilling Method(s) (Rotary, Percussion, Etc.)	Dual Rotary	Dual Rotar				.,
Well Depth in Feet:	115	115	*			
Upper Enlarged Drillhole Diameter in Inches and Depth in Feet:	8 Inches, 15 feet	16 inches, 108 fe	eet inches,	feet	inches,	feet
Lower Drillhole Diameter in Inches and Depth in Feet:	inches, feet	Inches, <u>f</u> e	eet inches,	feet	inches,	feet
Well Casing Diameter in Inches and Depth in Feet:	inches, feet		eet inches,	feet	Inches,	feet
Nell Casing Material and Wall Thickness:	Wheatland A53	1375" Bu A53B				
Annular Space Material Between Casing and Drillhole Wall:						
s There a Well Screen (Y or N) If so, Screen Material?:	Y- Galv. #20	Y-Galu, #20	2			

Proposed Well Information					**, * *
Enter the following information on	all proposed wells on the property, if more than two we	lls or alternate cor	nstruction, submit	additional she	els:
Well Name Assigned by Well Owne (North Well, etc.):	mmm Field				
Well Number Assigned by Owner (001, 002, etc.):	012				
Well Loc; Quarter Quarter Section o French Long Lot Number	( ) () 1/4 of A/S 1/4 of Section (8)	1/4 c	of 1/4 o	of Section	
or Government Lot Number					
Township & Range (Select E or V	V)T 33 N,R /O DE WW	/ T	N, R	ΠE	Πv
Latitude (Degrees and Minutes)	45 . 20.870 .	0		<u>L</u>	<u>''</u>
Longitude (Degrees and Minutes)	91 . 39.192 .	0	77.00	<del></del>	,
GPS Map Datum (WGS84, WTM91, etc.)				<u></u>	
Type of Well (Irrigation, Industrial, Residential, etc.):	Type: TREIGNION Ron-Potable	Туре:		Potable Non-Pot	
Drilling Method(s) (Rotary, Percussion, Etc.):				_1 1	
Anticipated Geological Materials and	Depths that Are Expected During Drilling:			·····	
Material and Depth Interval:	1700, So, / from 0' to /		C		
Material and Depth Interval:		<u> </u>	from	0' to	
Material and Depth Interval:			from	' to	
Material and Depth Interval:	from ' to '		from	' to	
Material and Depth Interval:	from 'to '		from	' to	
Drillhole Diameter and Anticipated De	from ' to '		from	' to	
Diameter and Depth Interval:	01/		_		
Diameter and Depth Interval:	0 10in 0 100		from	' to	
Diameter and Depth Interval:	from ' to '		from	' to	·
	from ' to ' and Wall Thickness at Anticipated Depth Intervals:		from	' to	
Diameter and Wall Thickness	0 400			w	
at Depth Interval: Diameter and Wall Thickness	/8 "diam/, 288 " thick 0' to 70 '	" dlam/	" thick	0' to	1
at Depth interval:	"diam/ "thick 'to '	" diam/	" thick	' to	,
Permanent Casing or Liner Material, I Casing Joints (Welded, T and C,	If Used:				
elc.)	Welded				
Material and Welght at Depth Interval:	ASTM-53A1 lbs/foot 0' to 70.				
Material and Weight			/ lbs/foot	0' to	
at Deoth Interval: creen Material, Slot Size in Inches	/ lbs/foot 'to '		/ Ibs/foot	' to	1
and Depth Interval or N/A if none:  Casing to Screen Joint (Welded, T	GALVANIZZO B -170. 10/00.	· · · · · · · · · · · · · · · · · · ·	*	' to	,
and C, K Packer, etc.)	L K PACKER				
nnular Space Material Including Filter					
Material and Depth Interval:	BENSER 1 0' to 70 .	e en aus faute and a el ferrer	7	0' to	;
Material and Depth Interval:	/ ' to '		1	' to	<del>-</del>
roposed Average Water Usage Per Day in Gallons:	180 000				
roposed Maximum Water Usage Per	310 410			<u> </u>	
Day in Gallons: easonal? (April to October, Year	360,000			************	
Around, etc.):	HPRIL to OctobER				
oposed Pump Type & Capacity (gpm):	Submersible C 250 apm				
scharge Type (Over Top of Casing Seal, Pilless Adapter or Unit):	Over Top			<u> </u>	
scharge Location (Building Pressure Tank, Pond, etc.):	IRRIGATION PIDE	·			
stance and Direction to Nearest Public Utility Well & Well Name:	2/2 mi South Chetek	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
stance to Other Potential Contaminant Sources: stance to Other Potential	None		-		
Contaminant Sources:	NONE				
eve Blank, for Department use only		**************************************			

## Required Attachments

- Attach one of the maps described in A. or B., below. Plot the existing and proposed well locations on the map. For wells that have a Wisconsin Unique Well Number or a Permanent High Capacity Well Number, plot the well locations with one of those numbers.
  - A. Copy of a plat map with the property boundary clearly shown. If the property is contiguous with properties owned by the same owner in another township, include a copy of that township map too, showing the property boundaries. If the property owner listed on the plat map is different from the current owner, list the date or dates, that the current property owner purchased the property on the map.
  - B. Map of the property prepared by a licensed land surveyor and the property description as described by the surveyor.
- 2. Sketch map showing all of the following that are planned or exist within 300 feet of each proposed well: proposed well location; other wells; property boundary; wetlands; potential contaminant sources (septic tank and drainfield, petroleum storage tanks, sewer lines, etc.); buildings and north arrow. If no pertinent features to map within 300 feet of the proposed well, for example an irrigation well in the middle of a fleld, state that on the property map listed above and plot the well locations on that map.
- 3. Any well construction records available for existing wells on the property. Do not attach any well construction records for wells that are not on the property. If a Wisconsin Unique Well Number has not been assigned, write a well name or site well number on the record that correlates to the well name or number plotted on the maps.
- 4. For proposed wells with a capacity greater than 400 gallons per minute, include the performance curve or performance table that is provided by the pump manufacturer. If the pump will be a lineshaft turbine, provide a curve with the same rpm as the motor under full load and list the motor horsepower.
- 5. If more than one well is connected to a common plumbing system, also provide a schematic drawing of the system showing method of preventing backflow. This sketch must include the well discharge (pitless, over top of casing sanitary seal); the water line from the well; pressure tanks; sampling faucets; check valves; backflow preventers; air gaps; manually operated valves; water meters; pressure switches for pumps; and any other pertinent fittings. This schematic drawing must also identify which of these components are buried or above ground. If there is more than one check valve within the well casing, include in-well check valves on the schematic.
- 6. If reconstruction of an existing well is proposed, include a diagram of the current well construction and a diagram of the proposed construction.
- 7. If the application is for a high capacity well or wells, a \$500.00 check payable to the Department of Natural Resources, unless the application is only for continued operation after a change of ownership. Certification and Applicant Signatures

If the application requests a variance for a well within 1,200 feet of a landfill, a well on a property with a groundwater use restriction, or any other variance to NR 812, Wis. Adm. Code, the property owner must sign the application. If the well operator will install a well on property that he or she does not own, the property owner must also sign the application. Otherwise, an agent of the owner may sign the application.

Unsigned and incomplete applications will not be approved.

By signing this form, the person signing this application certifies that to the best of his or her knowledge, all existing well installations on the property comply with ch. NR 812, Wis. Adm. Code. The person also certifies that to the best of his or her knowledge, all information in the application is accurate and correct.

Name - Print		Check Box	
BARRY GRAHAM		Owner Owner	Agent of the Owner
Signature Application Library	Company Roberts th	rigation	Date 4 June, 14
Application submittal. Mail completed application and p Section - DG/2, PO Box 7921, Madison WI 53707-792	1.		-
Definitions from Wisconsin Administrative Codes			
"High capacity well" means a well constructed on a high	r capacity property, INR 812	.07(51)]	


"High capacity property" means one property on which a high capacity well system exists or is to be constructed. [NR 812.07(52)]

"High capacity well system" means one or more wells, drillholes or mine shafts used or to be used to withdraw water for any purpose on one property, if the total pumping or flowing capacity of all wells, drillholes or mine shafts on one property is 70 or more gallons per minute based on the pump curve at the lowest system pressure setting, or based on the flow rate. [NR 812.07(53)]

"Public water system" means a system for the provision to the public of piped water for human consumptions if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days per year. A public water system is either a community water system or a non-community water system. Such system includes: (a) Any collection, treatment, storage, and distribution facilities under control of the operator of such system and used primarily in connection with such system, and (b) Any collection or pretreatment storage facilities not under such control which are used primarily in connection with such system. [NR 812.07(80)1

"School" means a public or private educational facility in which a program of educational instruction is provided to children in any grade or grades from kindergarten through the 12th grade. Water systems serving athletic fields, school forests, environmental centers, home-based schools, day-care centers and Sunday schools are not school water systems. [NR 812.07(94)]

"Wastewater treatment plant" means any facility provided for the treatment of sanitary or industrial wastewater or both. The following types of facilities are excluded: (a) Facilities defined as private sewage systems in s. 145.01(12), Stats. (b) Pretreatment facilities from which effluent is directed to a public sewer system for treatment. (c) Industrial wastewater treatment facilities which consist solely of a land disposal system. [NR 114.03(14)]



Heritage Credit Union will help you with the financing.

Why finance with HCU? Since we are a non-profit organization we offer lower rates on loans and fewer service fees. We can help you save money!

Call or stop by today! We can help you with all your financial needs.

HHHH

715-924-2415 1502 Hwy. Blvd. North, Chetek



www.heritagecu.org

JUN-04-2014 11:12 From: ROBERTS IRRIGATION 715 344 4505

To:17155684601

4, -			
Well Construction Report WISCONSIN UNIQUE WELL NUMBER	XE	028	State of Wi - Private Water Systems-DG/5 Form 3300-077A Department of Natural Resources, Box 7921 (R 7/10) Madison, WI 53707
Property Alice Boychuk	l'elephone	000 650	
Mailing Address 2230 White Oak Cay	Telephone Number (715)	ZZB 0531	ATown City Village Fire # (If avail.)
City LL S	tate Zip Coc	Je	of Chetek Street Address or Road Name and Number
County of Well Location Co. Well Permit No. 1	W.L. G	1406	The state of the s
County of Well Location. Co. Well Permit No. W	Vell Completion Da	te (mm-dd-yyyy) - 2 0 / 3	Subdivision Name Lot # Block #
Well Constructor (Business Name)   Secret   1000115 UV AO TION 316	Facility ID Nu	umber (Public We)(s)	Section 7 T 33 N. R. D DE WW.
Address PO Box 490	Well Plan App	rovaj #	Latitude Deg. 45 Mm. 21.05D Longitude Deg. 91 Mm. 39.554
City PLOVER State WI Zin Code	Date of Appro	val (mm/dd/yyyy)	2. Well Time   Name   Lat/Long Method
Hicap Permahent Well # Convinon Well #	Specific Capac	ily .	Replacement Reconstruction (see item 12 below)
3. Wall serves & Hot INKINATION	High Capacity:		of previous unique wells constructed in Reason for replaced or reponstructed well?
(For example: home, born, restaurant, church, school, industry, etc.)	Well?	YA Aca □ No	
4. Is the well located unslope or sideslope and not down	slope from any con	amination sources is	Drilled Driven Point Jened Other
Well located within 1,200 feet of a quarry? Yes X Well located in floodplain? Yes X No	No If yes, distant	e in feet from quarry	If no, explain on back side.
Distance in feet from well to nearest: (include proposed)	10. Privy	tion Drain to Clearwa	17: Wasterlater Commit
). Landfill. 2. Building Overhang	12. Foundat	tion Drain to Sewer	19. Animal Yard or Shelter 20. Silo
3. Septic Holding Tank	Cast	t fron or Plastic 🔲	Other 21. Bam Gutter
4. Sewage Absorption Unit 5. Nonconforming Pit	14. Building	g Sewer□Gravity [ I Iron or Plastic □	1
6. Buried Home Heating Oil Tank 7. Buried Petroleum Tank	15. Collecto	r Sewer:	Other
8. Shoreline 🔲 Swimming Pool 🗀		tary units in. m □≤6" □>	Orain. 24. Ditch
9. Downspout/Yard Hydrant	16. Clearwa	ter Sump	6" 25. Other NR 812 Wasto Source
5. Drillhole Dimensions and Construction Method	Lower	8,	Geology From To
From To Upper Dia.(in.) (ft.) (ft.) Enlarged Drillhole	Open Bedrock	Goolegy Type, etc.	Caving/Noncaving, Color, Harthess, (ft.)
-1. Rotary - Mud Circulati	····	Top	Soll surface
108 -3. Rotary - Air and Foam  4. Drill-Turough Casing 1			e silfed sand i class 2 1D
-S. Reverse Rotary	: n. dia	Me	
7. Temp. Outer Casing	in, dia,		use sand and gravel 40 80
Removed?	depth ft.  ain on back side,	Car	Use sand the manuel 80 113
6. Caking Liner Screen		1/4/	
6. Casing, Liner, Screen Material, Weight, Specification Dia. (in.) Manufacturer & Method of Assembly	From To (ft.)		a wurse sitted saina 113 115
1 2		9. Static Water Le	i 6 0. "Hi. Wellis:
16 315 Venque wall	surface 18	4	above ground surface below ground surface ib. Below Grade
_ Steel welded Ab31	31	10. Pump Test	in. Below
		Pumping level	23 ft. below surface Developed? Yes No
Dia (in.) Screen type, material & slot size	19 108		Disinfected? Wes No Capped? Yes No
7. Grout or Other Sealing Material		12. Did you permane	ently abandon and fill all unused, noncomplying or unsafe
Method,From	To Sacks)	Wells on this pro	operty?
Kind of Scaling Material (ft.)	(ft.) Cement	☐ Yes A.No.	If no, explain on reverse. Nach Thur
Sensea surface	18 3	19. SIRVAURGOLAS	Date Signed
(Gravel pack (Papplicable)		Print Name of Drill	Rig Operator (Mandatory unless same as above) Date
Make additional comments on reverse side about geo	logy, additional sc	reens, water quality	LD 17/1 (de. Notification #
Comments on reverse side (CHECK \( \sqrt{,} \) IF YE	S) Variance Iss	ued Yes	

1... \* JUN-04-2014 11:12 From: ROBERTS IRRIGATION 715 344 4505

To:171556846Ø1

		53 j	susch	u Á	inst)						_			_	, ,	
WISC	CONS	IN UN	tion Rep IIQUE WI	ort ELL NUI		X		04	8		State of WI Department Madison, W	t of Natura				n 3300-077A /10)
Property Owner	Ali	cal	Bayer	uk.	Tel Nu	ephone nber (	115	808	053	31	I. Well Lo					
Mailing Address	Ha	30	White	e Car	Cores		•			•	of F	City City	☐ Villa	ige ]	Pire# (Ifa	vail.)
City	w	(EN			Sta	°11	Zip Cod	e Fy	lC Na		Street Addi	ess or Roa	ıd Name aı	nd Numbe	r	
	of Wel	Locatio	on Ço <b>V</b>	. Well Pern	ut No. We	I Compl	letion Dat	te (min	n-dd-yyyy	21	Subdivision	Name		Lot#	Blo	ock#
Well-Cor	ostructo	or (Busin	ness Name)	tron	License #	Facili			(Public W		Gov't Lot# Section	13. T	2.72	1/4 of V; R		4 of E (X) W C25
Address	28	MA	Lillie !	)			Plan App	roval	#		Latitude I Longitude i	<u> </u>	7	lin	197	300
PID	WI	State.	1	Zig	Sod L	Date	of Appro	m) Isv کاک	m/dd/yyy	ν <u>λ</u>	2. Well Ty Repl	pe lacement	New Reco	nstruction	Lat/Long	Method — —
Hicap Per	manen DA	Well#	Com	non Well #		Speci	fic Capac	ήΣ	gpm	/ft	(see of previous	item 12 be	low)		structed in	
			# of <u>L. (</u> m, restauran			High Wel	Capacity:	(X)Y			Reason for	replaced (	r reconstr	ucted well	?	
industry,	ctc.)		<u> </u>	,	•		perty?	XY			Drilled	Drive	n Point 🗀	Jetted [		
Well loca	ited wit	hin 1,20	slope or sid O feet of a c in? Yes	цауту? [		o If ye	es, distanc		ation sour ect from o		reluding thes				0	No Fno, explam n back side.
Distance	in feet: Land Build Septi Sewa None Burie Burie	from we fill ling Ove ic  ge Abso conformical Home ed Potrol eline  [	ell to nearest erhang Holding Ta proption Unit	il Tank		11 12 13 13 14	. Founda Buildin Cas Buildin Cas Collecte Sani	tion D g Drai t Iron g Sew t Iron or Sew itary m	or Plastic cr □ Grav or Plastic ver: □ units _ □ ≤ 6"	wer	Other Pressure Other	1222	Cas 3. Other N 4. Ditch	Animal Ball Yard or State of S	om Pen Shelter	
			s and Cons		I a dha ai	16	. Clearwa	iter Su	· ·	8.		Geology			From	То
	From	To (ft.)	Upper Enlarged I		Bomsi		Lower Open Bedrock	1 (	cology		Caving/Non	caving, C	olor, Hardi	ness,	(ft.)	(ñ)
	(/	1	¬□1. Re	otary - Muc	d Circulation		<u>-</u>			15	nacil				surface	a
-8	surface	115	□3, R	otary - Air	and Foam- h Casing H					nu	A GOLLA	1 + Ch	ravel		3	35
	·· ··		<b> </b> 5. Re	everse Rote able-tool B	ıty	dia	🗆			M	ed sus	ed V	and		29	40
				emp. Outer noved?	Casing	ii depth fi	n. día. L		ļ.	led	CONTO	E. ED 11	dia	avel	40	55
1			Y [] Y	es 🔲 No - ua) Rotary-	If no, expla	in on ba	ck side.	$\perp$			THE 62 4	RUAY	grade	سيلاء	-55	20
6.	**		Casing, Lin	er, Screen		·		<b>1</b> ↓		42	wel w	Low	\$ 60A	Adi_	_80	100
Dis. (in.)	1		rial, Weigh chirer & Me			From (fl.)		Ш		Cen		and	VOM	(c()	100	115
6	1,2	XX	hilosof	ton A	, AG3	surfac	95	9.	Statje Wa		above groun	id surface	O	11. Wel		
<del></del>	"	966	الما الماد	d	<del>, M93</del>			1	_0/4 _0/4		below groun			_lla_	in. Be	ove Grade
		======================================							Pump Te		i n Ci			Develop	ed? X Yo	s 🔲 No
Dis. (ip.)	Scree	en type,	material &	slot size	10601	From	To	1			ZET DPM/G			Disinfect Capped?	od? (X) Yo	15   No 15   No
7. Gröut Method	or Oth	er Seali	ng Nateria	ì	•		20	12.	Did you p wells on t		cently abando	on and fill	all unused	, noncom	olying or ur	safe
		of Seatir	ng Material	<del>-</del> -	From (ft.)	To (ft.)	Sacks Cement		□ yes	Ø No	o If no expli	ain on reve	rse. A	POAR		6
Gran	alti	r A	Dungar	0,	surface	115	ł	13.	Signature	of W	ell Construc	tor or Supr	rvisory D	filler	Date	Signed
(Gravel pack	k if appli	cable)	<del>******</del>	_K.yr.		****	<u> </u>	Prin	t Name of	f Drill	Rig Operato	or (Mandal				
			ents on rev				ditional s riance Is		s, water o		y, etc. Not		· · · · · · · · · · · · · · · · · · ·		60	urt mee